



General Certificate of Education

Biology 6416

Specification B

BYB4 Energy, Control and Continuity

Mark Scheme

2007 examination - January series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2007 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

Question 1

- (a) Two (surface) membranes/envelope;
Smooth outer membrane;
DNA;
Ribosomes;
Electron carriers;
Internal membranes large SA;
(reference to SA of *inner membrane*) (any **two**) 2 max
- (b) (i) **E** to cristae;
(ii) **K** to matrix; 2
- (c) ETC stops/transfer of electrons down the chain stops;
No (release of) energy, to phosphorylate ADP/stops phosphorylation;
Krebs cycle stops, no (oxidised) NAD/FAD/oxidised coenzymes/ no
Substrate-linked phosphorylation;
2 max

Total 6**Question 2**

- (a) Phylum class order family genus; 1
- (b) (i) Prokaryotes; 1
(ii) Ribosomes/DNA/cytoplasm/cell membrane;
(accept *flagellum/cell wall/unicellular*) 1
(iii) Eukaryotic/any named eukaryotic organelle; 1
- (c) (Cell wall of) chitin/hyphae/ mycellium/heterotrophic feeding/multinucleate;
(accept *spores released in asexual reproduction*) 1

Total 5

Question 3

- (a) (i) 100/reference to original value / blank reading – light meter reading (%); 1
- (ii) Oxygen produced (per unit) time/change in oxygen concentration per unit time; 1
- (b) (i) Suitable factor kept constant: e.g.
Light intensity/type of glass/distance of meter/ carbon dioxide concentration/ concentration of algae; 1
- (ii) Decrease in carbon dioxide/hydrogencarbonate ions; 1
- (c) Light-dependent reaction/chlorophyll absorbs light/physical reaction; No (direct) enzyme involvement; 2
- Total 6**

Question 4

- (a) *Two linked points:*

Crossing over/exchange of material (between chromatids);
Different combinations of alleles/linkage groups changed/broken;

OR

Independent assortment/alignment of (homologous) chromosomes;
Different combinations of (maternal and paternal) chromosomes/alleles; 2 max

- (b)
- | | | | | |
|--------------------|---|--|----|----|
| Gamete genotype | D | | | d |
| | M | | | m; |
| Offspring genotype | D | | d | |
| | M | | m; | |
- Offspring phenotypes Abnormal males/(all) (no females); 3

Total 5

Question 5

- (a) Discontinuous;
(Only) two /discrete classes; 1
- (b) (i) 1. Mutation, unbanded/banded form/variation;
2. Different environments/selection pressures;
3. Camouflage/description; (*Accept crypsis*)
4. Selection by predation/description;
5. (Survive to) reproduce/pass on advantageous alleles;
6. Change in allele frequency (in the next generation);
7. No gene flow between populations; 4 max
- (ii) *Two suitable suggestions: e.g.*

(Back) mutation;
Migration (of banded snakes from mainland);
Banded could be recessive so still get (occasional) homozygotes/
heterozygous advantage;
Stabilising selection/description of;
Selection pressure stays the same; 2 max
- Total 8**

Question 6

- (a) Expressed (in the phenotype);
In the absence of the dominant allele/ only when homozygous/not when
heterozygous; 2
- (b)
- | | | | |
|------------------------|--------------|--------------|--|
| (Parent genotypes) | S1S2 | S1S3; | |
| (Gametes) | S1 S2 | S1 S3; | |
| (Offspring genotypes) | S1S1 | S1S3 | (<i>max if gamete correct</i>
S1S2 S2S3; |
| (Offspring phenotypes) | white (spot) | white (spot) | white (spot) small yellow
(spot); |
| Ratio | 3 | 1; | |
- 4 max
- Total 6**

Question 7

- (a) Muscle A contracts wing moves down;
Muscle B contracts wing moves up;
As one muscle relaxes the other contracts; 2 max
- (b) Reduced/no synthesis/release of acetylcholine;
No /slower diffusion/movement (of neurotransmitter) across synapse/to motor
end plate/neuromuscular junction/receptors;
Postsynaptic (membrane) /muscle not depolarised/description/
no action potential;
Muscle does not contract; 3 max
- (c) Binding/changing shape/removing tropomyosin;
Exposes actin binding sites;
Myosin head attaches/cross-bridge formation;
Activates ATPase; 3 max

Total 8**Question 8**

- (a) 1. Active transport/pump sodium (ions) back out (potassium in);
2. Less permeable to sodium (ions)/membrane more permeable to potassium (ions);
3. Sodium ions diffuse in / potassium ions move out/ positive on the outside;
2 max
- (b) 1. Active transport stops/pump stops;
2. Sodium (ions) no longer pumped out;
3. Sodium ions continue to diffuse/move in;
4. Accumulating sodium ions inside/becomes less negative inside;
5. Potassium (ions) equilibrium (quickly) established/potassium (ions) no longer
pumped in;
6. Respiration stops/no ATP 4 max

Total 6

Question 9

- (a) (i) Refraction at cornea;
Ciliary muscle contracts;
Suspensory ligaments slacken/loose tension/less taut (*reject relax*);
Lens fatter/shorter/more convex/more curved/decreased radius of curvature;
Light refracted/bent more/lens has a shorter focal length;
4 max
- (ii) (In water) less difference between RI of water and cornea;
So light bent less/not much;
Focused behind retina; 2 max
- (b) 1. Large number of cones in fovea/ fewer rods;
2. More rods in the periphery;
3. Cones have no retinal convergence/separate nerve fibres/neurones/rods reverse argument;
4. More impulses from fovea;
5. Sensory area/visual cortex large, to process/interpret/deal with impulses; 4
- (c) Closer the cones to each other/ the more concentrated the cones/the more cones, the greater the acuity;
The smaller the minimal angle/ objects closer together still stimulate separate cones; 2
- (d) Autonomic control;
Parasympathetic (nerve);
Acetylcholine released/transmitter;
Tear glands continuously produce tears;
Increased tear production/irritant/ emotional tears, more impulses (along parasympathetic nerve); 3 max

Total 15

Question 10

- (a) (i) 1. In the ascending limb sodium(ions) actively removed;
 2. Ascending limb impermeable to water;
 3. In descending limb sodium(ions) diffuse in;
 4. Descending limb water moves out/permeable to water;
 5. Low water potential/high concentration of ions in the medulla/tissue fluid;
 6. The longer the loop/the deeper into medulla, the lower the water potential in medulla/tissue fluid;
 7. Water leaves collecting duct/DCT;
 8. By osmosis/down water potential gradient; (*credit once only*) 6 max

- (ii) 1. When water potential of the blood too low;
 2. Detected by receptors in the hypothalamus;
 3. Pituitary secretes/releases (more) ADH;
 4. ADH increases the permeability/recruitment of aquaporins/opens channels for water in the DCT/collecting duct;
 5. More water is reabsorbed/leaves the nephron moves into the blood;
 6. By osmosis down the water potential gradient; 4 max

- (b) (i) Ammonia not urea;
 Ammonia (into labyrinth) enters by diffusion, not (ultra) filtration;
 Reabsorption of glucose from labyrinth, not PCT/no reabsorption in PCT;
 All salt reabsorbed/no salt in urine, comparison to humans;
 Concentrated urine not produced; 3 max

- (ii) Water potential lower in cytoplasm of cells/fresh water higher water potential than cells/idea of water potential gradient;
 (Removal of excess water) prevents osmotic damage;

OR

- All salts reabsorbed (because difficult to replace);
 Take in excess water and need to remove it; 2

Total 15

QWC 1